

## **PW-250**

MAX WORKING PRESSURE  
**3625 PSI (250 Bar)**

MAX FLUID OUTPUT RATE  
**15 litres/min**

MAX INPUT AIR PRESSURE  
**120 PSI (8.3 Bar)**



### **High Pressure Water Jet**

# **HIGH PRESSURE WATER JET**

*Teryair High pressure water jets are designed for general cleaning tasks in multiple industries. These high pressure water jets are used for daily cleaning of machinery, vehicles, and buildings, for the removal of stubborn dirt, stains and other debris from multiple surfaces. All pump materials, fittings and pipes in contact with water are non corrosive.*



### **Approvals and Certifications**

All Teryair high pressure water jet are CE marked and manufactured under an ISO 9001:2015 Quality system – SGS



### **ADDED FEATURES**

Easy Replacement filters  
Adjustable output pressure  
Consistent spraying pressure  
Easy maintenance

## Teryair High Pressure Water Jet Applications

Teryair High pressure washers are designed for general cleaning tasks in multiple industries. These high pressure washer are used for daily cleaning of machinery, vehicles, and buildings, for the removal of stubborn dirt, stains and other debris from multiple surface. All pump materials, fittings and pipes in contact with water are non corrosive.

## Application Features

- Easily replacement filters.
- Consistent spray pressure.
- Easy to adjust output pressure.
- variety of hose lengths, guns and spray available for different spray applications.
- Easy to clean and maintain.

## Technical Data

Specification	PW-250
Maximum Fluid Working Pressure	3625 PSI (250 Bar)
Air Inlet Connection	1/2" BSP Female
Gun Connection	1/4" BSP
Maximum Tip Orifice	0.11" to 0.019"
Fluid Output Rate	15 litres/min (3.9gpm)
Maximum Inlet Air Pressure	120 PSI (8.3 Bar)
Air Consumption Maximum	50 CFM
Wetted Parts Material Of Constructio	Stainless Steel SS316 Nickel Plated Carbon Steel, Tugsten Carbide, PTFE

## High Pressure Water Jet Standard Accessories

Description
1 meter suction hose
15 meter delivery hose, 6mm ID, Nylon reinforced, 3300 PSI
1/2" BSP Filter Regulator Lubricator Unit
5 Meter Air inlet hose, 16mm ID, PVC reinforced, 200PSI
Gun complete with Tip 517 and filter.
Spare Seal Kit
Maintenance Tools Kit
Frame with Wheels

## High-Pressure Airless Spray Tips

Teryair High Pressure Water Jet Tips are improve spraying productivity. Saves time - no screwdriver required. Change tip sizes in seconds - without removing the tip guard housing. Locking tab ensures tip stays securely in guard. For heavy-duty applications up to 500 bar (50 Mpa, 7250 psi).

IMPA Code	Tip Model No	Pattern (Fan) Width
27 09 22	515	(5 no) 254-305 mm (10"-12")
27 09 23	517	
27 09 24	519	

